



# SAFETY DATA SHEET

Revision date: 15-May-2015

Version: 3.0

Page 1 of 11

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

### Product Identifier

**Material Name:** Oxaprozin Caplets (Greenstone LLC)

**Trade Name:** Not applicable

**Chemical Family:** Mixture

### Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

**Intended Use:** Pharmaceutical product used as non-steroidal, anti-inflammatory drug (nsaid)

### Details of the Supplier of the Safety Data Sheet

Greenstone LLC  
100 Route 206 North  
Peapack, NJ 07977  
800-435-7095

**Emergency telephone number:**  
CHEMTREC (24 hours): 1-800-424-9300

## 2. HAZARDS IDENTIFICATION

### Classification of the Substance or Mixture

#### GHS - Classification

Reproductive Toxicity: Category 2

Acute aquatic toxicity: Category 2

Chronic aquatic toxicity: Category 2

#### EU Classification:

EU Indication of danger: Dangerous for the Environment  
Toxic to Reproduction: Category 3

#### EU Risk Phrases:

R51/53 - Toxic to aquatic organisms. May cause long-term adverse effects in the aquatic environment.

R63 - Possible risk of harm to the unborn child.

### Label Elements

**Signal Word:** Warning

**Hazard Statements:** H361d - Suspected of damaging the unborn child  
H411 - Toxic to aquatic life with long lasting effects

#### Precautionary Statements:

P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P273 - Avoid release to the environment

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P308 + P313 - IF exposed or concerned: Get medical attention/advice

P391 - Collect spillage

P405 - Store locked up

P501 - Dispose of contents/container in accordance with all local and national regulations

## SAFETY DATA SHEET

Material Name: Oxaprozin Caplets (Greenstone LLC)  
Revision date: 15-May-2015

Page 2 of 11  
Version: 3.0



**Other Hazards**

No data available

**Australian Hazard Classification (NOHSC):**

Hazardous Substance. Dangerous Goods.

**Note:**

This document has been prepared in accordance with standards for workplace safety, which requires the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warning included may not apply in all cases. Your needs may vary depending upon the potential for exposure in your workplace.

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

**Hazardous**

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	GHS Classification	%
Oxaprozin	21256-18-8	244-296-1	Repr 3; R63;R51/53	Repr 2 (H361d)Chronic 2 (H411)	600 mg***
Microcrystalline cellulose	9004-34-6	232-674-9	Not Listed	Not Listed	*
Starch	9005-25-8	232-679-6	Not Listed	Not Listed	*
Titanium dioxide	13463-67-7	236-675-5	Not Listed	Not Listed	*
Magnesium stearate	557-04-0	209-150-3	Not Listed	Not Listed	*

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	GHS Classification	%
Hydroxypropyl methylcellulose	9004-65-3	Not Listed	Not Listed	Not Listed	*
Methylcellulose	9004-67-5	Not Listed	Not Listed	Not Listed	*
Polacrillin potassium	None known	Not Listed	Not Listed	Not Listed	*
Polyethylene glycol	25322-68-3	Not Listed	Not Listed	Not Listed	*

**Additional Information:**

\* Proprietary

\*\*\* per tablet/capsule/lozenge/suppository

Ingredient(s) indicated as hazardous have been assessed under standards for workplace safety. In accordance with 29 CFR 1910.1200, the exact percentage composition of this mixture has been withheld as a trade secret.

For the full text of the R phrases and CLP/GHS abbreviations mentioned in this Section, see Section 16

**4. FIRST AID MEASURES**

**Description of First Aid Measures**

**Eye Contact:**

Rinse thoroughly with plenty of water, also under the eyelids. If irritation occurs or persists, get medical attention.

**Skin Contact:**

Wash exposed area with soap and water, remove contaminated clothing and obtain medical assistance if irritation occurs.

## SAFETY DATA SHEET

Material Name: Oxaprozin Caplets (Greenstone LLC)  
Revision date: 15-May-2015

Page 3 of 11  
Version: 3.0

**Ingestion:** Never give anything by mouth to an unconscious person. Wash out mouth with water. Do not induce vomiting unless directed by medical personnel. Seek medical attention immediately.

**Inhalation:** Remove to fresh air and keep patient at rest. Seek medical attention immediately.

### Most Important Symptoms and Effects, Both Acute and Delayed

**Symptoms and Effects of Exposure:** For information on potential signs and symptoms of exposure, See Section 2 - Hazards Identification and/or Section 11 - Toxicological Information.

**Medical Conditions Aggravated by Exposure:** None known

### Indication of the Immediate Medical Attention and Special Treatment Needed

**Notes to Physician:** None

## 5. FIRE FIGHTING MEASURES

**Extinguishing Media:** Extinguish fires with CO<sub>2</sub>, extinguishing powder, foam, or water.

### Special Hazards Arising from the Substance or Mixture

**Hazardous Combustion Products:** Emits toxic fumes of carbon monoxide and oxides of nitrogen.

**Fire / Explosion Hazards:** Not applicable

### Advice for Fire-Fighters

During all fire fighting activities, wear appropriate protective equipment, including self-contained breathing apparatus.

## 6. ACCIDENTAL RELEASE MEASURES

### Personal Precautions, Protective Equipment and Emergency Procedures

Personnel involved in clean-up should wear appropriate personal protective equipment (see Section 8). Minimize exposure.

### Environmental Precautions

Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.

### Methods and Material for Containment and Cleaning Up

**Measures for Cleaning / Collecting:** Contain the source of spill if it is safe to do so. Collect spilled material by a method that controls dust generation. A damp cloth or a filtered vacuum should be used to clean spills of dry solids. Clean spill area thoroughly.

**Additional Consideration for Large Spills:** Non-essential personnel should be evacuated from affected area. Report emergency situations immediately. Clean up operations should only be undertaken by trained personnel.

## 7. HANDLING AND STORAGE

### Precautions for Safe Handling

Minimize dust generation and accumulation. If tablets or capsules are crushed and/or broken, avoid breathing dust and avoid contact with eyes, skin, and clothing. When handling, use appropriate personal protective equipment (see Section 8). Releases to the environment should be avoided. Review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure or environmental releases. Potential points of process emissions of this material to the atmosphere should be controlled with dust collectors, HEPA filtration systems or other equivalent controls.

### Conditions for Safe Storage, Including any Incompatibilities

**Storage Conditions:** Store as directed by product packaging.

**Specific end use(s):** Pharmaceutical product

## SAFETY DATA SHEET

Material Name: Oxaprozin Caplets (Greenstone LLC)  
Revision date: 15-May-2015

Page 4 of 11  
Version: 3.0

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### Control Parameters

Refer to available public information for specific member state Occupational Exposure Limits.

#### Microcrystalline cellulose

ACGIH Threshold Limit Value (TWA)	10 mg/m <sup>3</sup>
Australia TWA	10 mg/m <sup>3</sup>
Belgium OEL - TWA	10 mg/m <sup>3</sup>
Estonia OEL - TWA	10 mg/m <sup>3</sup>
France OEL - TWA	10 mg/m <sup>3</sup>
Ireland OEL - TWAs	10 mg/m <sup>3</sup>
	4 mg/m <sup>3</sup>
Latvia OEL - TWA	2 mg/m <sup>3</sup>
OSHA - Final PELs - TWAs:	15 mg/m <sup>3</sup>
Portugal OEL - TWA	10 mg/m <sup>3</sup>
Romania OEL - TWA	10 mg/m <sup>3</sup>
Spain OEL - TWA	10 mg/m <sup>3</sup>

#### Polyethylene glycol

Austria OEL - MAKs	1000 mg/m <sup>3</sup>
Germany - TRGS 900 - TWAs	1000 mg/m <sup>3</sup>
Germany (DFG) - MAK	1000 mg/m <sup>3</sup> average molecular weight 200-600
Slovakia OEL - TWA	1000 mg/m <sup>3</sup>
Slovenia OEL - TWA	1000 mg/m <sup>3</sup>

#### Starch

ACGIH Threshold Limit Value (TWA)	10 mg/m <sup>3</sup>
Australia TWA	10 mg/m <sup>3</sup>
Belgium OEL - TWA	10 mg/m <sup>3</sup>
Bulgaria OEL - TWA	10.0 mg/m <sup>3</sup>
Czech Republic OEL - TWA	4.0 mg/m <sup>3</sup>
Greece OEL - TWA	10 mg/m <sup>3</sup>
	5 mg/m <sup>3</sup>
Ireland OEL - TWAs	10 mg/m <sup>3</sup>
	4 mg/m <sup>3</sup>
OSHA - Final PELs - TWAs:	15 mg/m <sup>3</sup>
Portugal OEL - TWA	10 mg/m <sup>3</sup>
Slovakia OEL - TWA	4 mg/m <sup>3</sup>
Spain OEL - TWA	10 mg/m <sup>3</sup>

#### Titanium dioxide

ACGIH Threshold Limit Value (TWA)	10 mg/m <sup>3</sup>
ACGIH OELs - Notice of Intended Changes	Listed
Australia TWA	10 mg/m <sup>3</sup>
Austria OEL - MAKs	5 mg/m <sup>3</sup>
Belgium OEL - TWA	10 mg/m <sup>3</sup>
Bulgaria OEL - TWA	10.0 mg/m <sup>3</sup>
Denmark OEL - TWA	6 mg/m <sup>3</sup>
Estonia OEL - TWA	5 mg/m <sup>3</sup>
France OEL - TWA	10 mg/m <sup>3</sup>
Greece OEL - TWA	10 mg/m <sup>3</sup>
	5 mg/m <sup>3</sup>

## SAFETY DATA SHEET

Material Name: Oxaprozin Caplets (Greenstone LLC)  
Revision date: 15-May-2015

Page 5 of 11  
Version: 3.0

Ireland OEL - TWAs	10 mg/m <sup>3</sup> 4 mg/m <sup>3</sup>
Latvia OEL - TWA	10 mg/m <sup>3</sup>
Lithuania OEL - TWA	5 mg/m <sup>3</sup>
OSHA - Final PELs - TWAs:	15 mg/m <sup>3</sup>
Poland OEL - TWA	10.0 mg/m <sup>3</sup>
Portugal OEL - TWA	10 mg/m <sup>3</sup>
Romania OEL - TWA	10 mg/m <sup>3</sup>
Spain OEL - TWA	10 mg/m <sup>3</sup>
Sweden OEL - TWAs	5 mg/m <sup>3</sup>

<b>Magnesium stearate</b>	
ACGIH Threshold Limit Value (TWA)	10 mg/m <sup>3</sup>
Lithuania OEL - TWA	5 mg/m <sup>3</sup>
Sweden OEL - TWAs	5 mg/m <sup>3</sup>

### Manufacturer OEB Statement:

The purpose of the Occupational Exposure Band (OEB) classification system is to separate substances into different Hazard categories when the available data are sufficient to do so, but inadequate to establish an Occupational Exposure Limit (OEL). The OEB given is based upon an analysis of all currently available data; as such, this value may be subject to revision when new information becomes available.

### Oxaprozin

**Manufacturer OEB:** OEB2 (control exposure to the range of >100ug/m<sup>3</sup> to < 1000ug/m<sup>3</sup>)

### Exposure Controls

**Engineering Controls:** Engineering controls should be used as the primary means to control exposures. General room ventilation is adequate unless the process generates dust, mist or fumes. Keep airborne contamination levels below the exposure limits listed above in this section.

**Personal Protective Equipment:** Refer to applicable national standards and regulations in the selection and use of personal protective equipment (PPE).

<b>Hands:</b>	Impervious gloves are recommended if skin contact with drug product is possible and for bulk processing operations.
<b>Eyes:</b>	Wear safety glasses or goggles if eye contact is possible.
<b>Skin:</b>	Impervious protective clothing is recommended if skin contact with drug product is possible and for bulk processing operations.
<b>Respiratory protection:</b>	If airborne exposures are within or exceed the Occupational Exposure Band (OEB) range, wear an appropriate respirator with a protection factor sufficient to control exposures to the bottom of the OEB range.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Physical State:</b>	Tablets	<b>Color:</b>	White
<b>Odor:</b>	No data available.	<b>Odor Threshold:</b>	No data available.
<b>Molecular Formula:</b>	Mixture	<b>Molecular Weight:</b>	Mixture
<b>Solvent Solubility:</b>	No data available		
<b>Water Solubility:</b>	No data available		
<b>pH:</b>	No data available.		
<b>Melting/Freezing Point (°C):</b>	No data available		
<b>Boiling Point (°C):</b>	No data available.		
<b>Partition Coefficient: (Method, pH, Endpoint, Value)</b>			

## SAFETY DATA SHEET

Material Name: Oxaprozin Caplets (Greenstone LLC)  
Revision date: 15-May-2015

Page 6 of 11  
Version: 3.0

### 9. PHYSICAL AND CHEMICAL PROPERTIES

**Oxaprozin**

No data available

**Microcrystalline cellulose**

No data available

**Hydroxypropyl methylcellulose**

No data available

**Methylcellulose**

No data available

**Magnesium stearate**

No data available

**Polacrillin potassium**

No data available

**Starch**

No data available

**Polyethylene glycol**

No data available

**Titanium dioxide**

No data available

**Decomposition Temperature (°C):** No data available.

**Evaporation Rate (Gram/s):** No data available

**Vapor Pressure (kPa):** No data available

**Vapor Density (g/ml):** No data available

**Relative Density:** No data available

**Viscosity:** No data available

**Flammability:**

**Autoignition Temperature (Solid) (°C):** No data available

**Flammability (Solids):** No data available

**Flash Point (Liquid) (°C):** No data available

**Upper Explosive Limits (Liquid) (% by Vol.):** No data available

**Lower Explosive Limits (Liquid) (% by Vol.):** No data available

### 10. STABILITY AND REACTIVITY

**Reactivity:** No data available

**Chemical Stability:** Stable at normal conditions

**Possibility of Hazardous Reactions**

**Oxidizing Properties:** No data available

**Conditions to Avoid:** Fine particles (such as dust and mists) may fuel fires/explosions.

**Incompatible Materials:** As a precautionary measure, keep away from strong oxidizers

**Hazardous Decomposition Products:** No data available

### 11. TOXICOLOGICAL INFORMATION

**Information on Toxicological Effects**

**General Information:** The information included in this section describes the potential hazards of the individual ingredients.

**Short Term:** May cause mild eye irritation. May cause slight skin irritation. (based on components)  
Accidental ingestion may cause effects similar to those seen in clinical use.

**Long Term:** Animal studies have shown a potential to cause adverse effects on the fetus.

## SAFETY DATA SHEET

Material Name: Oxaprozin Caplets (Greenstone LLC)  
Revision date: 15-May-2015

Page 7 of 11  
Version: 3.0

### 11. TOXICOLOGICAL INFORMATION

**Known Clinical Effects:** Ingestion of this material may cause effects similar to those seen in clinical use including serious gastrointestinal toxicity such as bleeding, ulceration, and perforation and kidney toxicity. Individuals sensitive to this material or other materials in its chemical class may develop allergic reactions. Clinical use has resulted in liver effects. Symptoms may include jaundice, liver function test abnormalities, and hepatitis. Other nonsteroidal anti-inflammatory drugs (NSAIDs) are known to impact delivery, late fetal development, and lactation.

#### Acute Toxicity: (Species, Route, End Point, Dose)

##### **Oxaprozin**

Rat Oral LD50 4470 mg/kg  
Rat Inhalation LC50 >307mg/m<sup>3</sup>

##### **Microcrystalline cellulose**

Rat Oral LD50 > 5000 mg/kg  
Rabbit Dermal LD50 > 2000 mg/kg

##### **Hydroxypropyl methylcellulose**

Rat Oral LD50 > 10,000 mg/kg

##### **Magnesium stearate**

Rat Oral LD50 > 2000 mg/kg  
Rat Inhalation LC50 > 2000 mg/m<sup>3</sup>

##### **Titanium dioxide**

Rat Oral LD50 > 7500 mg/kg  
Rat Subcutaneous LD50 50 mg/kg

**Acute Toxicity Comments:** A greater than symbol (>) indicates that the toxicity endpoint being tested was not achievable at the highest dose used in the test.

#### Irritation / Sensitization: (Study Type, Species, Severity)

##### **Oxaprozin**

Eye Irritation Rabbit Mild  
Skin Irritation Rabbit Mild  
Skin Sensitization - LLNA Guinea Pig Negative

##### **Microcrystalline cellulose**

Skin Irritation Rabbit Non-irritating  
Eye Irritation Rabbit Non-irritating

##### **Polyethylene glycol**

Eye Irritation Rabbit Mild  
Skin Irritation Rabbit Mild

#### Repeated Dose Toxicity: (Duration, Species, Route, Dose, End Point, Target Organ)

##### **Oxaprozin**

6 Month(s) Rat Oral 157 mg/kg/day NOEL  
1 Year(s) Non-human Primate Oral 54 mg/kg/day NOEL

## SAFETY DATA SHEET

Material Name: Oxaprozin Caplets (Greenstone LLC)  
Revision date: 15-May-2015

Page 8 of 11  
Version: 3.0

### 11. TOXICOLOGICAL INFORMATION

#### Reproduction & Developmental Toxicity: (Study Type, Species, Route, Dose, End Point, Effect(s))

##### **Oxaprozin**

Reproductive & Fertility	Rat	Oral	400 mg/kg/day	LOAEL	Fetotoxicity
Embryo / Fetal Development	Rat	Oral	500 mg/kg/day	NOEL	Not Teratogenic
Embryo / Fetal Development	Rabbit	Oral	30 mg/kg/day	LOAEL	Teratogenic

#### Genetic Toxicity: (Study Type, Cell Type/Organism, Result)

##### **Oxaprozin**

Bacterial Mutagenicity (Ames)	<i>Salmonella</i>	Negative
Micronucleus	Mouse Bone Marrow	Negative
Chromosome Aberration	Human Lymphocytes	Negative

#### Carcinogenicity: (Duration, Species, Route, Dose, End Point, Effect(s))

##### **Oxaprozin**

2 Year(s)	Rat	Oral	NOAEL	Not carcinogenic
2 Year(s)	Female Mouse	Oral	NOAEL	Not carcinogenic
2 Year(s)	Male Mouse	Oral	Liver, neoplasms	

**Carcinogen Status:** See below

##### **Titanium dioxide**

**IARC:** Group 2B (Possibly Carcinogenic to Humans)

### 12. ECOLOGICAL INFORMATION

**Environmental Overview:** Toxic to aquatic organisms. May cause long term adverse effects in the aquatic environment.

#### **Toxicity:**

#### Aquatic Toxicity: (Species, Method, End Point, Duration, Result)

##### **Oxaprozin**

<i>Oncorhynchus mykiss</i> (Rainbow Trout)	OECD	NOEC	96 Hours	31.3 mg/L
<i>Hyallela azteca</i> (Freshwater Amphipod)	OECD	LC-50	96 Hours	137.2 mg/L
<i>Daphnia Magna</i> (Water Flea)	OECD	NOEC	48 Hours	12 mg/L
<i>Daphnia magna</i> (Water Flea)	OECD	EC-50	48 Hours	19.2 mg/L
<i>Selenastrum capricornutum</i> (Green Alga)	ErC50	48-72 Hours	8.8 mg/L	

**Persistence and Degradability:** No data available

**Bio-accumulative Potential:** No data available

**Mobility in Soil:** No data available



## SAFETY DATA SHEET

Material Name: Oxaprozin Caplets (Greenstone LLC)  
Revision date: 15-May-2015

Page 9 of 11  
Version: 3.0

### 13. DISPOSAL CONSIDERATIONS

**Waste Treatment Methods:** Dispose of waste in accordance with all applicable laws and regulations. Member State specific and Community specific provisions must be considered. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental releases. This may include destructive techniques for waste and wastewater.

### 14. TRANSPORT INFORMATION

The following refers to all modes of transportation unless specified below.

This material is regulated for transportation as a hazardous material/dangerous good.

**UN number:** UN 3077  
**UN proper shipping name:** Environmentally Hazardous Substance, Solid, n.o.s  
**Technical Shipping Name:** oxaprozin  
**Transport hazard class(es):** 9  
**Packing group:** III  
**Environmental Hazard(s):** Marine Pollutant

**5 kg/5L Exception:**

Effective January 1, 2015, UN3082 and UN3077 materials contained in good quality packaging in the quantities listed below are not regulated as dangerous goods for transport by any mode:

\* Single packagings containing a net quantity of 5 liters or less for liquids or a net mass of 5 kg or less for solids.

\* Combination packagings containing a net quantity per inner packaging of 5 liters or less for liquids or a net mass of 5 kg or less for solids.

### 15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

**Canada - WHMIS: Classifications**

**WHMIS hazard class:**

Class D, Division 2, Subdivision A



**Oxaprozin**

<b>CERCLA/SARA 313 Emission reporting</b>	Not Listed
<b>California Proposition 65</b>	Not Listed
<b>Standard for the Uniform Scheduling for Drugs and Poisons:</b>	Schedule 4
<b>EU EINECS/ELINCS List</b>	244-296-1

## SAFETY DATA SHEET

Material Name: Oxaprozin Caplets (Greenstone LLC)  
Revision date: 15-May-2015

Page 10 of 11  
Version: 3.0

### 15. REGULATORY INFORMATION

#### Microcrystalline cellulose

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
REACH - Annex XVII - Restrictions on Certain Dangerous Substances:	Use restricted. See item 9[f]. powder
EU EINECS/ELINCS List	232-674-9

#### Hydroxypropyl methylcellulose

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
Standard for the Uniform Scheduling for Drugs and Poisons:	Schedule 4
EU EINECS/ELINCS List	Not Listed

#### Methylcellulose

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS/ELINCS List	Not Listed

#### Polacrillin potassium

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
EU EINECS/ELINCS List	Not Listed

#### Polyethylene glycol

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
Standard for the Uniform Scheduling for Drugs and Poisons:	Schedule 3
EU EINECS/ELINCS List	Not Listed

#### Starch

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
REACH - Annex IV - Exemptions from the obligations of Register:	Present
EU EINECS/ELINCS List	232-679-6

#### Titanium dioxide

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	carcinogen initial date 9/2/11 airborne, unbound particles of respirable size

## SAFETY DATA SHEET

Material Name: Oxaprozin Caplets (Greenstone LLC)  
Revision date: 15-May-2015

Page 11 of 11  
Version: 3.0

### 15. REGULATORY INFORMATION

Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS/ELINCS List	236-675-5

#### Magnesium stearate

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS/ELINCS List	209-150-3

### 16. OTHER INFORMATION

#### Text of R phrases and GHS Classification abbreviations mentioned in Section 3

Reproductive toxicity-Cat.2; H361d - Suspected of damaging the unborn child  
Hazardous to the aquatic environment, chronic toxicity-Cat.2; H411 - Toxic to aquatic life with long lasting effects

N - Dangerous for the environment  
Toxic to Reproduction: Category 3

R63 - Possible risk of harm to the unborn child.  
R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**Data Sources:** The data contained in this SDS may have been gathered from confidential internal sources, raw material suppliers, or from the published literature.

**Reasons for Revision:** Updated Section 3 - Composition / Information on Ingredients. Updated Section 2 - Hazard Identification. Updated Section 7 - Handling and Storage. Updated Section 8 - Exposure Controls / Personal Protection. Updated Section 11 - Toxicology Information. Updated Section 16 - Other Information.

**Revision date:** 15-May-2015  
Product Stewardship Hazard Communication

**Prepared by:** Global Environment, Health, and Safety Operations

It is believed that the information contained in this Material Safety Data Sheet is accurate, and while it is provided in good faith, it is without a warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time

**End of Safety Data Sheet**