



SAFETY DATA SHEET

Revision date: 06-Apr-2015

Version: 2.1

Page 1 of 12

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Product Identifier

Material Name: Voriconazole Powder for Oral Suspension (Greenstone LLC)

Trade Name: Not established

Chemical Family: Mixture

Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Intended Use: antifungal agent Pharmaceutical product used as

Details of the Supplier of the Safety Data Sheet

Greenstone LLC
100 Route 206 North
Peapack, NJ 07977
800-435-7095

Emergency telephone number:
CHEMTREC (24 hours): 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification of the Substance or Mixture

GHS - Classification

Reproductive Toxicity: Category 1B

Carcinogenicity: Category 2

Specific target organ systemic toxicity (repeated exposure): Category 2

US OSHA Specific - Classification

Physical Hazard: Combustible Dust

EU Classification:

EU Indication of danger: Toxic to Reproduction: Category 2

Carcinogenic: Category 3

EU Risk Phrases:

R40 - Limited evidence of a carcinogenic effect.

R61 - May cause harm to the unborn child.

Label Elements

Signal Word: Danger

Hazard Statements:
H360D - May damage the unborn child
H350 - May cause cancer
H373 - May cause damage to organs through prolonged or repeated exposure May form combustible dust concentrations in air

Precautionary Statements:
P202 - Do not handle until all safety precautions have been read and understood
P260 - Do not breathe dust/fume/gas/mist/vapors/spray
P281 - Use personal protective equipment as required
P308 + P313 - IF exposed or concerned: Get medical attention/advice
P405 - Store locked up
P501 - Dispose of contents/container in accordance with all local and national regulations

SAFETY DATA SHEET

Material Name: Voriconazole Powder for Oral Suspension
(Greenstone LLC)
Revision date: 06-Apr-2015

Page 2 of 12

Version: 2.1



Other Hazards No data available
Australian Hazard Classification (NOHSC): Hazardous Substance. Non-Dangerous Goods.

Note: This document has been prepared in accordance with standards for workplace safety, which require the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warnings included may not apply in all cases. Your needs may vary depending upon the potential for exposure in your workplace.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	GHS Classification	%
Voriconazole	137234-62-9	Not Listed	Carc. Cat.3;R40 Repr. Cat.2;R61 Xn;R22 Xn;R48/22	Acute Tox.3 (H301) Carc. 2 (H351) Repr. 1B (H360D) STOT RE 2 (H373) Aquatic Acute 3 (H402)	6.67
Citric acid, anhydrous	77-92-9	201-069-1	Not Listed	Not Listed	*
Silicon dioxide, colloidal NF	7631-86-9	231-545-4	Not Listed	Not Listed	*
Titanium dioxide	13463-67-7	236-675-5	Not Listed	Not Listed	*

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	GHS Classification	%
Sodium citrate, dihydrate	6132-04-3	Not Listed	Not Listed	Not Listed	*
Sodium benzoate	532-32-1	208-534-8	Not Listed	Not Listed	*
Xanthan gum	11138-66-2	234-394-2	Not Listed	Not Listed	*
Natural orange flavor	NOT ASSIGNED	Not Listed	Not Listed	Not Listed	*

Additional Information: * Proprietary
Ingredient(s) indicated as hazardous have been assessed under standards for workplace safety.
In accordance with 29 CFR 1910.1200, the exact percentage composition of this mixture has been withheld as a trade secret.

For the full text of the R phrases and CLP/GHS abbreviations mentioned in this Section, see Section 16

4. FIRST AID MEASURES

Description of First Aid Measures

Eye Contact:

Flush with water while holding eyelids open for at least 15 minutes. Seek medical attention immediately.

SAFETY DATA SHEET

Material Name: Voriconazole Powder for Oral Suspension
(Greenstone LLC)
Revision date: 06-Apr-2015

Page 3 of 12

Version: 2.1

- Skin Contact:** Remove contaminated clothing. Flush area with large amounts of water. Use soap. Seek medical attention.
- Ingestion:** Never give anything by mouth to an unconscious person. Wash out mouth with water. Do not induce vomiting unless directed by medical personnel. Seek medical attention immediately.
- Inhalation:** Remove to fresh air and keep patient at rest. Seek medical attention immediately.

Most Important Symptoms and Effects, Both Acute and Delayed

- Symptoms and Effects of Exposure:** For information on potential signs and symptoms of exposure, See Section 2 - Hazards Identification and/or Section 11 - Toxicological Information.
- Medical Conditions Aggravated by Exposure:** None known

Indication of the Immediate Medical Attention and Special Treatment Needed

- Notes to Physician:** None

5. FIRE FIGHTING MEASURES

- Extinguishing Media:** Use carbon dioxide, dry chemical, or water spray.

Special Hazards Arising from the Substance or Mixture

- Hazardous Combustion Products:** Carbon monoxide, carbon dioxide, nitrogen oxides and fluorine-containing compounds
- Fire / Explosion Hazards:** Fine particles (such as dust and mists) may fuel fires/explosions.

Advice for Fire-Fighters

During all fire fighting activities, wear appropriate protective equipment, including self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personnel involved in clean-up should wear appropriate personal protective equipment (see Section 8). Minimize exposure.

Environmental Precautions

Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.

Methods and Material for Containment and Cleaning Up

- Measures for Cleaning / Collecting:** Contain the source of spill if it is safe to do so. Collect spilled material by a method that controls dust generation. A damp cloth or a filtered vacuum should be used to clean spills of dry solids. Clean spill area thoroughly.
- Additional Consideration for Large Spills:** Non-essential personnel should be evacuated from affected area. Report emergency situations immediately. Clean up operations should only be undertaken by trained personnel.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Minimize dust generation and accumulation. Avoid breathing dust. Avoid contact with eyes, skin and clothing. When handling, use appropriate personal protective equipment (see Section 8). Wash thoroughly after handling. Releases to the environment should be avoided. Refer to Section 12 - Ecological Information, for information on potential effects on the environment. Review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure or environmental releases. Potential points of process emissions of this material to the atmosphere should be controlled with dust collectors, HEPA filtration systems or other equivalent controls.

SAFETY DATA SHEET

Material Name: Voriconazole Powder for Oral Suspension
(Greenstone LLC)
Revision date: 06-Apr-2015

Page 4 of 12

Version: 2.1

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions: Store as directed by product packaging.
Specific end use(s): Pharmaceutical drug product

SAFETY DATA SHEET

Material Name: Voriconazole Powder for Oral Suspension
(Greenstone LLC)
Revision date: 06-Apr-2015

Page 5 of 12

Version: 2.1

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters

Refer to available public information for specific member state Occupational Exposure Limits.

Voriconazole

Manufacturer OEL: 100ug/m³

Silicon dioxide, colloidal NF

Australia TWA 2 mg/m³
Austria OEL - MAKs 4 mg/m³
0.3 mg/m³
Czech Republic OEL - TWA 0.1 mg/m³
4.0 mg/m³
Estonia OEL - TWA 2 mg/m³
Finland OEL - TWA 5 mg/m³
Germany - TRGS 900 - TWAs 4 mg/m³
Germany (DFG) - MAK 4 mg/m³
Ireland OEL - TWAs 6 mg/m³
2.4 mg/m³
Latvia OEL - TWA 1 mg/m³
OSHA - Final PELs - Table Z-3 Mineral D: 20 mppcf
Listed
Slovakia OEL - TWA 4.0 mg/m³

Titanium dioxide

ACGIH Threshold Limit Value (TWA) 10 mg/m³
ACGIH OELs - Notice of Intended Changes Listed
Australia TWA 10 mg/m³
Austria OEL - MAKs 5 mg/m³
Belgium OEL - TWA 10 mg/m³
Bulgaria OEL - TWA 10.0 mg/m³
Denmark OEL - TWA 6 mg/m³
Estonia OEL - TWA 5 mg/m³
France OEL - TWA 10 mg/m³
Greece OEL - TWA 10 mg/m³
5 mg/m³
Ireland OEL - TWAs 10 mg/m³
4 mg/m³
Latvia OEL - TWA 10 mg/m³
Lithuania OEL - TWA 5 mg/m³
OSHA - Final PELs - TWAs: 15 mg/m³
Poland OEL - TWA 10.0 mg/m³
Portugal OEL - TWA 10 mg/m³
Romania OEL - TWA 10 mg/m³
Spain OEL - TWA 10 mg/m³
Sweden OEL - TWAs 5 mg/m³

Analytical Method:

Analytical method available for Voriconazole. Contact Pfizer Inc for further information.

Exposure Controls

Engineering Controls:

Engineering controls should be used as the primary means to control exposures. General room ventilation is adequate unless the process generates dust, mist or fumes. Keep airborne contamination levels below the exposure limits listed above in this section.

SAFETY DATA SHEET

Material Name: Voriconazole Powder for Oral Suspension
(Greenstone LLC)
Revision date: 06-Apr-2015

Page 6 of 12

Version: 2.1

Personal Protective Equipment: Refer to applicable national standards and regulations in the selection and use of personal protective equipment (PPE).

Hands: Impervious gloves are recommended if skin contact with drug product is possible and for bulk processing operations.

Eyes: Wear safety glasses or goggles if eye contact is possible.

Skin: Impervious protective clothing is recommended if skin contact with drug product is possible and for bulk processing operations.

Respiratory protection: If the applicable Occupational Exposure Limit (OEL) is exceeded, wear an appropriate respirator with a protection factor sufficient to control exposures to below the OEL.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Powder	Color:	White to off-white
Odor:	No data available.	Odor Threshold:	No data available.
Molecular Formula:	Mixture	Molecular Weight:	Mixture

Solvent Solubility:	No data available
Water Solubility:	No data available
pH:	3.5-4.5 (reconstituted)
Melting/Freezing Point (°C):	No data available
Boiling Point (°C):	No data available.
Partition Coefficient: (Method, pH, Endpoint, Value)	

Voriconazole

Measured 7 Log P 1.75

Silicon dioxide, colloidal NF

No data available

Titanium dioxide

No data available

Xanthan gum

No data available

Sodium citrate, dihydrate

No data available

Sodium benzoate

No data available

Citric acid, anhydrous

No data available

Natural orange flavor

No data available

Sucrose

No data available

Decomposition Temperature (°C): No data available.

Evaporation Rate (Gram/s): No data available

Vapor Pressure (kPa): No data available

Vapor Density (g/ml): No data available

Relative Density: No data available

Viscosity: No data available

Flammability:

Autoignition Temperature (Solid) (°C): No data available

Flammability (Solids): No data available

Flash Point (Liquid) (°C): No data available

Upper Explosive Limits (Liquid) (% by Vol.): No data available

SAFETY DATA SHEET

Material Name: Voriconazole Powder for Oral Suspension
(Greenstone LLC)
Revision date: 06-Apr-2015

Page 7 of 12

Version: 2.1

Lower Explosive Limits (Liquid) (% by Vol.): No data available
Polymerization: Will not occur

10. STABILITY AND REACTIVITY

Reactivity: No data available
Chemical Stability: Stable under normal conditions of use.
Possibility of Hazardous Reactions
Oxidizing Properties: No data available
Conditions to Avoid: Fine particles (such as dust and mists) may fuel fires/explosions.
Incompatible Materials: As a precautionary measure, keep away from strong oxidizers
Hazardous Decomposition Products: No data available

11. TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

General Information: The information included in this section describes the potential hazards of the individual ingredients.
Short Term: Harmful if swallowed May produce slight eye irritation. (based on components) Accidental ingestion may cause effects similar to those seen in clinical use.
Long Term: Adverse reproductive effects seen in repeat-dose animal studies are consistent with the pharmacologic action of this drug and are expected to be relevant to humans. Animal studies indicate that this material may cause adverse effects on the liver the developing fetus.
Known Clinical Effects: The most common adverse effects reported with clinical use of voriconazole include visual disturbances, elevations of liver function tests and skin rash. Voriconazole has been associated with photosensitivity skin reactions especially during long term therapy.

Acute Toxicity: (Species, Route, End Point, Dose)

Voriconazole

Rat/Mouse Oral LD50 < 300 mg/kg
Rat/Mouse Oral LDmin. > 100mg/kg
Rat IV LD50 > 100mg/kg
Rat Dermal LD50 > 2000mg/kg

Titanium dioxide

Rat Oral LD50 > 7500 mg/kg
Rat Subcutaneous LD50 50 mg/kg

Xanthan gum

Rat Oral LD50 > 5000 mg/kg

Sodium benzoate

Rat Oral LD50 4,070 mg/kg
Mouse Oral LD50 1600mg/kg

Citric acid, anhydrous

Rat Oral LD50 3000 mg/kg

SAFETY DATA SHEET

Material Name: Voriconazole Powder for Oral Suspension
(Greenstone LLC)
Revision date: 06-Apr-2015

Page 8 of 12

Version: 2.1

11. TOXICOLOGICAL INFORMATION

Sucrose

Rat Oral LD50 29.7 g/kg

Acute Toxicity Comments: A greater than symbol (>) indicates that the toxicity endpoint being tested was not achievable at the highest dose used in the test.

Irritation / Sensitization: (Study Type, Species, Severity)

Voriconazole

Skin Irritation Rabbit Non-irritating
Skin Sensitization - GPMT Guinea Pig Negative
Eye Irritation Rabbit Minimal

Citric acid, anhydrous

Eye Irritation Rabbit Severe
Skin Irritation Rabbit Mild

Repeated Dose Toxicity: (Duration, Species, Route, Dose, End Point, Target Organ)

Voriconazole

1 Month(s) Rat Oral 30 mg/kg/day NOEL Liver
6 Month(s) Rat Oral 3 mg/kg/day NOEL Liver, Kidney
12 Month(s) Dog Oral 8 mg/kg/day NOEL Liver
6 Month(s) Rat Intravenous 10 mg/kg/day NOEL Liver
6 Month(s) Dog Oral 6 mg/kg/day NOEL Liver

Sodium benzoate

10 Day(s) Rat Oral 27370 mg/kg LOEL Liver, Blood
10 Day(s) Mouse Oral 45 g/kg LOEL Liver, Kidney, Blood, Ureter, Bladder

Reproduction & Developmental Toxicity: (Study Type, Species, Route, Dose, End Point, Effect(s))

Voriconazole

Reproductive & Fertility Rat Oral 3 mg/kg/day NOEL Fetotoxicity
Embryo / Fetal Development Rat Oral 10 mg/kg/day LOEL Teratogenic

Sodium benzoate

Embryo / Fetal Development Rat Oral 44 g/kg LOEL Developmental toxicity,

Genetic Toxicity: (Study Type, Cell Type/Organism, Result)

Voriconazole

Bacterial Mutagenicity (Ames) Bacteria Negative
In Vitro Human Lymphocytes Equivocal
In Vivo Micronucleus Mouse Negative

Sucrose

Bacterial Mutagenicity (Ames) *Salmonella* Negative

SAFETY DATA SHEET

Material Name: Voriconazole Powder for Oral Suspension
(Greenstone LLC)
Revision date: 06-Apr-2015

Page 9 of 12

Version: 2.1

11. TOXICOLOGICAL INFORMATION

Carcinogenicity: (Duration, Species, Route, Dose, End Point, Effect(s))

Voriconazole

2 Year(s) Rat Oral 18 mg/kg/day NOEL Benign tumors, Liver
2 Year(s) Mouse Oral 30 mg/kg/day NOAEL Malignant tumors, Liver

Carcinogen Status: See below

Silicon dioxide, colloidal NF

IARC: Group 3 (Not Classifiable)

Titanium dioxide

IARC: Group 2B (Possibly Carcinogenic to Humans)

12. ECOLOGICAL INFORMATION

Environmental Overview: In the environment, the active ingredient in this formulation is expected to remain in water or migrate through the soil to groundwater and degrade slowly. Harmful effects to aquatic organisms could occur.

Toxicity:

Aquatic Toxicity: (Species, Method, End Point, Duration, Result)

Voriconazole

Mysidopsis bahia (Mysid Shrimp) NPDES LC50 48 Hours 62 mg/L
Red Algae IC50 73 mg/L
Skeletonema costatum (Marine Diatom) NPDES IC-50 48 Hours 74.7 mg/L
Green Algae OECD EbC50/72hr (OECD) EC50 72 Hours > 97 mg/L
Oncorhynchus mykiss (Rainbow Trout) OECD LC50 96 Hours 110 mg/L

Aquatic Toxicity Comments: A greater than symbol (>) indicates that aquatic toxicity was not observed at the maximum dose tested.

Bacterial Inhibition: (Inoculum, Method, End Point, Result)

Voriconazole

Activated sludge OECD EC50 > 810 mg/L
Polytox MIC > 100 mg/L

Chronic Aquatic Toxicity: (Species, Method, Duration, Endpoint, Result, Adverse Endpoint)

Voriconazole

Daphnia magna (Water Flea) OECD 21 Day(s) NOEC > 1 mg/L
Pimephales promelas (Fathead Minnow) OECD 32 Day(s) NOEC 1.2 mg/L
Chironomus riparius (Sediment-Dwelling Midges) OECD 28 Day(s) NOEC 100 mg/L

Persistence and Degradability:

Biodegradation: (Method, Inoculum, Biodeg Study, Result, Endpoint, Duration, Classification)

Voriconazole

OECD Activated sludge Ultimate (CO2 Evolution) -0.24% After 28 Day(s) Not Ready

SAFETY DATA SHEET

Material Name: Voriconazole Powder for Oral Suspension
(Greenstone LLC)
Revision date: 06-Apr-2015

Page 10 of 12

Version: 2.1

Bio-accumulative Potential:
Partition Coefficient: (Method, pH, Endpoint, Value)

Voriconazole

Measured 7 Log P 1.75

Mobility in Soil: No data available

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods: Dispose of waste in accordance with all applicable laws and regulations. Member State specific and Community specific provisions must be considered. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental releases. This may include destructive techniques for waste and wastewater.

14. TRANSPORT INFORMATION

The following refers to all modes of transportation unless specified below.

Not regulated for transport under USDOT, EUADR, IATA, or IMDG regulations.

15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

Canada - WHMIS: Classifications

WHMIS hazard class:

Class D, Division 2, Subdivision A



Voriconazole

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Standard for the Uniform Scheduling for Drugs and Poisons:	Schedule 4
EU EINECS/ELINCS List	Not Listed

SAFETY DATA SHEET

Material Name: Voriconazole Powder for Oral Suspension
(Greenstone LLC)
Revision date: 06-Apr-2015

Page 11 of 12

Version: 2.1

15. REGULATORY INFORMATION

Citric acid, anhydrous

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS/ELINCS List	201-069-1

Silicon dioxide, colloidal NF

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS/ELINCS List	231-545-4

Titanium dioxide

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	carcinogen initial date 9/2/11 airborne, unbound particles of respirable size
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS/ELINCS List	236-675-5

Sodium citrate, dihydrate

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Australia (AICS):	Present
EU EINECS/ELINCS List	Not Listed

Sodium benzoate

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS/ELINCS List	208-534-8

Xanthan gum

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS/ELINCS List	234-394-2

Natural orange flavor

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
EU EINECS/ELINCS List	Not Listed

16. OTHER INFORMATION

Text of R phrases and GHS Classification abbreviations mentioned in Section 3

SAFETY DATA SHEET

**Material Name: Voriconazole Powder for Oral Suspension
(Greenstone LLC)
Revision date: 06-Apr-2015**

Page 12 of 12

Version: 2.1

Acute toxicity, oral-Cat.3; H301 - Toxic if swallowed
Reproductive toxicity-Cat.1B; H360D - May damage the unborn child
Carcinogenicity-Cat.2; H350 - May cause cancer
Specific target organ toxicity, repeated exposure-Cat.2; H373 - May cause damage to organs through prolonged or repeated exposure
Hazardous to the aquatic environment, acute toxicity-Cat.3; H402 - Harmful to aquatic life

Carcinogenic: Category 3
Toxic to Reproduction: Category 2
Xn - Harmful

R40 - Limited evidence of a carcinogenic effect
R61 - May cause harm to the unborn child.
R22 - Harmful if swallowed.
R48/22 - Harmful: danger of serious damage to health by prolonged exposure if swallowed.

Data Sources: The data contained in this MSDS may have been gathered from confidential internal sources, raw material suppliers, or from the published literature.

Reasons for Revision: Updated Section 2 - Hazard Identification. Updated Section 3 - Composition / Information on Ingredients. Updated Section 7 - Handling and Storage. Updated Section 12 - Ecological Information. Updated Section 15 - Regulatory Information. Updated Section 11 - Toxicology Information. Updated Section 1 - Identification of the Substance/Preparation and the Company/Undertaking. Updated Section 16 - Other Information.

Revision date: 06-Apr-2015
Product Stewardship Hazard Communication

Prepared by: Global Environment, Health, and Safety Operations

It is believed that the information contained in this Material Safety Data Sheet is accurate, and while it is provided in good faith, it is without a warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time

End of Safety Data Sheet